SCC-MPPT Solar Charge Controller

Quick Guide



SCC-MPPT 300W



SCC-MPPT 850W


1. Introduction

SCC-MPPT solar charge controller uses PWM-based DSP controller to keep the batteries regulated and prevent batteries from overcharging and discharging. Applying intelligent MPPT algorithm, it allows SCC-MPPT solar charge controller to extract maximum power from solar arrays by finding the maximum power point of the array.

The solar charge controller facilitates a standalone energy system. Typical applications are listed below:

- Mobile applications such as moving van, lodge, log cabin, or night market.
- Lighting applications such as street lights, road lights, or garage lights.
- Remote village with power shortage

Product Overview



- Power switch
- 2 Solar energy status indicator (Blue LED)
- **3** Charging status indicator (Green LED)
- 4 Site wiring fault indicator (Red/Orange/Yellow LED)
- **5** LCD display (see Operation Section for the details)
- **6** Terminal block for solar panel connection
- **7** Terminal block for battery connection
- **8** Terminal block for load connection

2. Installation

Inspection

Remove the unit from the shipping package and inspect it for damage that may occur during transportation. Notify the carrier and place of purchase if any damage is found.

Installation Note

- Read all the installation section before beginning installation
- **CAUTION!** Be careful to reduce the risk of dropping a metal tool on the batteries. It could spark or short circuit the batteries and could cause an explosion.
- **CAUTION!** Remove personal metal items such as rings, bracelets, necklaces, and watches when working with batteries. Batteries can produce a short circuit current high enough to make metal melt, and could cause severe burns.
- **CAUTION!** Avoid touching eyes while working near batteries.
- CAUTION! Have plenty of fresh water and soap nearby in case battery acid contacts skin, clothing, or eyes.
- Explosive battery gasses may be present during charging. Be certain there is sufficient ventilation to release the gasses.
- **CAUTION!** NEVER smoke or allow a spark or flame in vicinity of a battery.
- Do not expose this charger controller to rain, snow or liquids of any type.
- WARNING! Provide ventilation to outdoors from the battery compartment. The battery enclosure should be designed to prevent accumulation and concentration of hydrogen gas at the top of the compartment.
- **CAUTION!** Use insulated tools to reduce the chance of short-circuit when installing or working with the inverter, the batteries, or other equipments attached to this unit.
- **CAUTION!** For battery installation and maintenance, read the battery manufacturer's installation and maintenance instructions prior to operating.
- Only charge Sealed Lead Acid, Vented Lead, Ni-Cd or Gel batteries.
- **CAUTION!** To reduce risk of injury, only use qualified batteries from qualified distributors or manufacturers. Any unqualified batteries may cause damage and injury. Do NOT use old or overdue batteries. Please check the battery type and date code before installation to avoid damage and injury.
- WARNING! It's very important for safety and efficient operation to use appropriate
 external battery cable. To reduce risk of injury, external cables including battery cables,
 PV panel cables and load connected cables should be UL certified and rated for 75° C or
 higher. And strongly suggest not to use copper cables less than 12AWG. Below is the
 external battery cable reference according to system requirements.

Model	Nominal Battery Voltage	Typical Current (Amp)
SCC-MPPT 300W	12 V	25 A
SCC-MPPT 600W	12V or 24 V (auto sensing)	25 A
SCC-MPPT 850W	36 V	20 A


NOTE: It's recommended to allow experienced personnel to install solar panel because the efficiency of solar energy transmission is directly affected by installation angles. Please follow the voltage requirement of the unit to wire connection with solar panel and batteries.

Terminal Installation

Step 1: Prepare flat screwdriver, and stripped wires.



Step 2: Screw assembled terminal and wire into solar charge controller. Refer to chart 2.



Mounting

Step 1: Choose mounting location

Locate the solar charger controller on a vertical surface. Select an appropriate mounting location. Use a horizontal line and the length of the line must be 150mm and mark the two ends on the wall. (see Fig. 1 & Fig. 3)

Step 2: Check the clearance


Install the solar charge controller in a protected area that is free of excessive dust and has adequate air flow. Please place the solar charge controller away from other units at least 20 cm to avoid interference. Do NOT operate it where the temperature and humidity is outside the specific limits. (Please check the specs for the limitations.)

Step 3: Drill the holes


Remove the controller and drill 2 holes in the marked locations with 2 screws.

Step 4: Secure controller

Place the unit on the surface and align the mounting holes with 2 screws in step 3. (see Fig. 2 & Fig. 4)



150 Fig. 3




<u>Wiring</u>

CAUTION! Be sure to secure all wiring, especially for mobile applications. Use cable clamps to prevent cables from swaying when the vehicle is in motion. Unsecured cables create loose and resistive connections which may cause excessive heating or fire

Step 1: DC Load Wiring

The load output will provide battery voltage to connected loads such as lights, pumps, monitors and other electronic devices.




Step 1: connect load positive (+) wire to the positive terminal of the unit and load negative (-) wire to the negative terminal of the unit.

Step 2: install a DC Breaker or a DC fuse holder in a positive wire. The rating of the DC Breaker/Fuse must be according to the charging current (40 Amp). Keep the DC breaker off or do not install the DC fuse.

WARNING! Please use the appropriate cable size according to load rating. Please refer to Important Safety Warnings Section for the details. It will prevent internal high temperature.

3


Step 2: Battery Wiring




Step 1: connect battery positive (+) wire to the positive terminal of the unit and load negative (-) wire to the negative terminal of the unit.

Step 2: install a DC Breaker or a DC fuse holder in a positive wire. The rating of the DC Breaker/Fuse must be according to the charging current (40 Amp). Keep the DC breaker off or do not install the DC fuse.

1) Multiple batteries in series connection (Refer to Fig. 5): All batteries must be equal in voltage and amp hour capacity. The sum of their voltages must be equal to the nominal DC Voltage of the unit.



2) Multiple batteries in parallel connection (Refer to Fig. 6): Each battery's voltage must be equal to the Nominal DC Voltage of the unit.



Step 3: Solar Module Wiring

WARNING: Risk of electric shock! Exercise caution when handing solar wiring. The solar array high voltage output can cause severe shock or injury. Cover modules from the sun before installing solar panel wiring.

Step 1: connect positive (+) wire of solar module to the positive terminal of the unit and negative (-) wire of solar module to the negative terminal of the unit.

1) Single solar module connection (Refer to Fig. 7): When using a single solar module, its voltage must not exceed the maximum solar module open circuit voltage (see below Table 1).




Fig. 7

Table 1:

Model	Solar Module Open Circuit	Maximum Solar Module
	Voltage (max.)	Power
SCC-MPPT 300W	50 VDC	300 W
SCC-MPPT 600W	75 VDC@ 24 V or 50 VDC@ 12 V	600 W@24V or 300 W@12V
SCC-MPPT 850W	98 VDC	850 W

2) Multiple solar modules in series connection (Refer to Fig. 8): All modules must be equal in voltage and amp hour capacity. The sum of their voltages must not exceed the maximum solar module open circuit voltage. And, the sum of their solar power must not exceed the maximum capacity of the unit.




Fig. 8

3) Multiple solar modules in parallel connection (Refer to Fig. 9): Each module's voltage must not exceed the maximum solar module open circuit voltage. And, the sum of their solar power must not exceed the maximum capacity of the unit.




Fig. 9

CAUTION: It may not cause any damage to solar module or unit when connecting polarity reversals. However, the unit will not be able to work normally.

WARNING! Please use the appropriate cable. Please refer to Important Safety Warnings Section for the details.

Step 4: Switch on DC breaker or install DC fuse

After completing all wires, double check if all wires are connected well. Then switch on DC breaker or install DC fuse on. Take off the cover of solar module. When the voltage of solar module is 5VDC higher than battery voltage, the charger will automatically turn on to work.

NOTE: If battery is not connected, even though solar module power is achieved, the charger is still not working.

3. Operation

After all wires are connected, the solar charge controller will automatically be activated. At this time, the blue LED will light up and LCD display panel will show information.


Switch Operation

The switch has three modes during operation:

The switch has three modes during operation.		
Activate LCD backlight	Press button for less than 1 second	
Select battery type*	When the unit starts to work, press button for 1-3	
[4	seconds to select battery type.	
INPUT [BOLAR PANEL] BATTERYTYPE LOAD - Amp	☐I: vented battery	
15.T	D2: sealed lead acid battery	
BATTERY VOLTAGE BATT. CAPACITY CHARGING CURRENT	□3: Gel battery	
	Dዣ: Ni-Cd battery	
	D5: Custom**	
Mute	Press button > 3 seconds	
Power on	Press button for 1 second to turn on the unit.	

^{*}Please carefully to select battery type. It will damage battery if the setting is incorrect. Refer to charging voltage table in the appendix.

Status, LED/LCD Display and Audible Alarms



Status	LCD	LED	Alarm
Polarity reversal on solar module connection.	N/A	Yellow LED on.	N/A
Polarity reversal on battery connection.	N/A	Red LED on.	N/A
Polarity reversal on battery and solar module connection.	N/A	Orange LED on.	N/A
Battery is in charging.	4 14 0 1 0.000 w 250 transport (Allian Printer) (EXTERNIO) (1040 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Blue & Green LEDs on.	N/A.
Low battery voltage.*	000* 0 000° 244	N/A	Sounding every sec
110% overload.	000° 0 1 6 15° 249	N/A	Sounding every 2 secs. for 5 min. Then continuously sounding.

^{*}Refer to alarm point for low voltage table in appendix.

Fault and error codes table:

radic and cirol codes table.			
Status	LCD	LED	Alarm
Battery defect. There is power input from solar module, but battery voltage is too low. 12V system: < 8.5V 24V system: < 17V 36V system: < 25.5V	00 1* <u>60</u> 000* 052 • 000	Green LED on.	Continuously sounding.
Overcharge and the charger will automatically cut off output.	000° F I 0000° W	Blue LED on	Continuously sounding.
130% overload and the charger will automatically cut off output.	OOO W F2 OOO W MYY SQUARE PARKS! 244	N/A	Continuously sounding.
When solar input voltage is too high, the charger will automatically cut off charging.	247 F 1 000° CONTROL OF CONTROL O	Blue LED flashes every second	N/A

^{**}This option is self-defined bulk/floating voltage via bundled software.

4. Specifications

SCC-MPPT 300W	SCC_MDDT 600W				
SCC-MPPT 300W SCC-MPPT 600W SCC-MPPT 85					
INPUT					
15 V ~ 37 V	30 V ~ 66 V	45V~88V			
50 V	75 V	98 V			
300 W	600 W	850 W			
18 A	18 A	17 A			
OUTPUT					
12V	36V				
Sealed lead acid, vented, Gel, Ni-Cd battery					
25 A	25 A	20 A			
25 A 25 A 20 A 2 W					
Three stage	es: bulk, absorption, a	and floating			
135 x 170 x 57.5	220 x 17	'0 x 57.5			
0.92 1.85					
Net Weight (kgs) 0.92 1.85 ENVIRONMENT					
0-100	0 % RH (non-condens	sing)			
-20°C - 55°C					
-40°C - 75°C					
	50 V 300 W 18 A 12V Sealed lead 25 A Three stage 135 x 170 x 57.5 0.92	50 V 75 V 300 W 600 W 18 A 18 A 12V 24V Sealed lead acid, vented, Gel, Ni 25 A 25 A 2 W Three stages: bulk, absorption, a 135 x 170 x 57.5 220 x 17 0.92 1 0-100 % RH (non-condenses)			

5. Trouble Shooting

Problem	Possible Cause	Solutions
Yellow LED on	Polarity reversal on solar	Reconnect polarity again
	module connection.	
Red LED on.	Polarity reversal on	Reconnect polarity again.
	battery connection.	
Orange LED on.	Polarity reversal on solar	Reconnect polarity of
	module and battery	solar module and battery
	connection.	again.
No solar energy input	Wires are not firmly	Check if all wires are
during daytime.	connected.	connected properly.
	Solar module defect.	Check solar modules or
		call local dealer to replace
		solar modules.
F0 fault code displays on	Battery wires are not	Check if battery wires are
LCD panel	connected well.	properly connected.
	Battery defect.	Replace battery.
Backup time is shorter.	Battery defect.	Check battery life cycle
-		and replace battery.
	Overload.	Remove excess loads.

9

Problem	Possible Cause	Solutions
F1 fault code displays on LCD panel.	Battery wires are not connected well.	Check if battery wires are properly connected.
	Battery defect.	Replace battery.
	Charge controller defect.	Replace the unit.
F2 fault code displays on LCD panel.	Overload.	Remove excess loads.
E1 fault code displays on LCD panel.	Solar input voltage is too high.	Check if solar wiring is correct. And then check solar input voltage.

If there is any abnormal situations occur which doesn't list above, please call the service people immediately for professional examine.

APPENDIX

Table 1: Recommended minimum battery cable size versus length

Model	Nominal battery Voltage	Charging Current	1 meter (one-way)	Dia-mm
SCC-MPPT 300W	12 V	25 A	AWG 12	2.0525
SCC-MPPT 600W	24 V or 12 V (auto sensing)	25 A	AWG 12	2.0525
SCC-MPPT 850W	36 V	20 A	AWG 12	2.0525

Table 2: External Battery Cable Size Reference

Table 2: External Battery Cable Size Reference					
AWG	Dia-mm	Ohms/Kft (Ohms per 1,000ft			
(American Wire Gauge Size)	(Diameter in millimeters)	or 304.8 meter)			
0000(4/0)	11.684	0.049			
000(3/0)	10.405	0.0618			
00(2/0)	9.2657	0.0779			
0(1/0)	8.2513	0.0983			
1	7.348	0.1239			
2	6.5436	0.1563			
3	5.8272	0.197			
4	5.1893	0.2485			
5	4.6212	0.3133			
6	4.1153	0.3951			
7	3.6648	0.4982			
8	3.263ရ _ი	0.6282			
9	2.9063	0.7921			
10	2.5881	0.9989			
11	2.3048	1.2596			
12	2.0525	1.5883			

Table 3: Charging voltage for 4 types of battery

i abic 3	Table 5: charging voltage for 4 types of battery						
Battery	Battery	SCC-MPI	PT 300W	SCC-MPI	PT 600W	SCC-MP	PT 850W
Type	Type	12V batte	ry system	24V batte	ry system	36V batte	ery system
	Code	Bulk	Floating	Bulk	Floating	Bulk	Floating
		Voltage	Voltage	Voltage	Voltage	Voltage	Voltage
Vented	01	14.3 V	13.2 V	28.6 V	26.4 V	39.6 V	42.9 V
Sealed	02	14.3 V	13.4 V	28.6 V	26.8 V	40.2 V	42.9 V
Gel	03	14.3 V	13.7 V	28.6 V	27.4 V	41.1 V	42.9 V
Ni-Cd	04	14.3 V	14.0 V	28.6 V	28.0 V	42.0 V	42.9 V
Custom	05	Self-d	efined	Self-d	efined	Self-c	lefined

Table 4: Alarm point for low battery voltage table

Model	Alarm point
SCC-MPPT 300W	10.5 V
SCC-MPPT 600W	21.0 V
SCC-MPPT 850W	31.5 V

Table 5: Charging hour table for reference

Battery Capacity	To 90% capacity @ 25A charging current		
52 Ah	2 hours		
100 Ah	4 hours		
200 Ah	8 hours		
300 Ah	12 hours		
400 Ah	16 hours		
500 Ah	20 hours		

Table 6: Power consumption of home appliances table*

Appliances	Power	Daily usage	Daily watt hours	
	Consumption (W)	hours	used (Wh)	
Lighting bulb	60	6	360	
Energy saving bulb	13	6	78	
Electric fan	60	12	720	
TV	100	4	400	
Washing machine	800	1	800	
Air conditioner	800	6	4800	
Freezer	400	24	9600	
PC with 17" monitor	150	6	900	
Laptop	70	6	420	

^{*}This power consumption table may be different based on different consumer behavior and local electronic specifications.